


# Delock RJ45 Network Cable with USB Type-C™ port finder function Self Tracing Cat.6A S/FTP 10 m orange

## Description

This network cable by Delock can be used to connect different networking devices, e.g. a NIC to a switch or a patch panel.

### With USB-C™ port finder function

The network cable is equipped with a port finder function that enables quick and easy identification of the cable for tracing the cable route. When power is supplied to the USB Type-C™ socket, flashing LEDs on both RJ45 plugs signal their location. This patch cable is particularly suitable for use in office environments, industrial facilities and data centres.



**Item no. 80418**

EAN: 4043619804184

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:  
2 x RJ45 plug  
2 x USB Type-C™ female
- Cat.6A specification
- Data transfer rate up to 10 Gbps
- Bandwidth: 500 MHz
- Shielded (S/FTP)
- With port finder function
- Cable gauge: 26 AWG
- Contacts gold-plated: 50 µ"
- Cable diameter: ca. 6.2 mm
- Operating temperature: -20 °C ~ 60 °C
- Cable jacket material: LSZH (halogen-free)
- Colour: orange
- Length: ca. 10 m

## Package content

- Network cables

---

## Images



## General

|                |         |
|----------------|---------|
| Specification: | Cat. 6A |
|----------------|---------|

## Interface

|              |                        |
|--------------|------------------------|
| Connector 1: | 2 x RJ45 Stecker       |
| Connector 2: | 2 x USB Type-C™ female |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Data transfer rate:    | 10 Gbps        |
| Operating temperature: | -20 °C ~ 60 °C |

## Physical characteristics

|                  |                     |
|------------------|---------------------|
| Conductor gauge: | 26 AWG              |
| Material:        | LSZH (halogen-free) |
| Shielding:       | S/FTP               |
| Length:          | 10 m                |
| Colour:          | orange              |
| Cable diameter:  | 6.2 mm              |