

Delock Thunderbolt[™] 2 cable 0.5 m white

Description

This ThunderboltTM 2 cable by Delock is used to connect various devices, such as external hard drives, docking stations or monitors, to a PC or laptop with ThunderboltTM port.

The Thunderbolt[™] 2 technology, based on PCI Express and DisplayPort, supports data transfer rates of up to 20 Gbps.

Compatible to mini DisplayPort

The cable is compatible with mini DisplayPort and can therefore also be used to connect a monitor to a computer.

Daisy Chain (cascadable)

Up to six Thunderbolt[™] or Thunderbolt[™] 2 devices can be connected in series.



Item no. 83165

EAN: 4043619831654

Country of origin: Taiwan, Republic of China

Package: Retail Box

Specification

- Connectors:
 - 1 x Thunderbolt[™] 2 20 pin male >
- 1 x Thunderbolt™ 2 20 pin male
- Thunderbolt[™] 2 specification
- Downwards compatible to Thunderbolt[™]
- Chipset: Intel
- Cable gauge: 34 AWG
- Cable diameter: ca. 4.2 mm
- Copper cable
- Contacts gold-plated
- Data transfer rate up to 20 Gbps
- · Based on PCI Express and DisplayPort
- · Compatible to mini DisplayPort (no PCIe support)
- Daisy Chain up to 6 Thunderbolt[™] devices (cascadable)
- Dual channel, bi-directional data transfer
- Power delivery for bus powered Thunderbolt[™] devices
- Colour: white
- Length incl. connectors: ca. 0.5 m

DATASHEET



System requirements

• A free Thunderbolt[™] 2 interface

Package content

• Thunderbolt[™] cable

Images







General

Specification:	DisplayPort 1.2 Thunderbolt ™ 2	
Interface		
Connector 1:	1 x Thunderbolt™ 2 20 pin male	
Connector 2:	1 x Thunderbolt™ 2 20 pin male	

Technical characteristics

Chipset:	Intel
Data transfer rate:	20 Gbps

Physical characteristics

Pin finishing:	gold-plated
Conductor material:	copper
Conductor gauge:	34 AWG
Length:	50 cm
Colour:	white