


# Delock Cable mini DisplayPort 1.1 male > DVI 24+1 male 0,5 m

## Description

This cable by Delock can be used to connect a display with an DVI port to a PC or a laptop with mini DisplayPort interface.



0,5 m

**Item no. 83987**

EAN: 4043619839872

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x mini DisplayPort 20 pin male >
  - 1 x DVI 24+1 male with screws
- Chipset: NXP PTN3361
- DVI-D (Single Link), VGA not wired
- DisplayPort 1.1a specification
- Passive cable (level shifter), suitable only for graphics cards with DP++ output
- Signal direction: mini DisplayPort input > DVI output
- Cable gauge: 32 AWG
- Cable diameter: ca. 5.5 mm
- Twisted-pair cabling
- Copper conductor
- Gold-plated connectors
- Triple shielded cable
- Data transfer rate up to 3.96 Gb/s
- Resolution up to 1920 x 1200 @ 60 Hz (depending on the system and the connected hardware)
- Colour: black
- Length incl. connectors: ca. 0.5 m

---

## System requirements

- One free mini DisplayPort DP++ female

---

## Package content

- Mini DisplayPort to DVI cable

---

## Images



## General

|                |                 |
|----------------|-----------------|
| Specification: | DisplayPort 1.1 |
|----------------|-----------------|

## Interface

|            |   |
|------------|---|
| connector: | 1 x mini DisplayPort 20 pin male<br>1 x DVI 24+1 male with screws |
|------------|---|

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Data transfer rate:        | 3.96 Gb/s           |
| Maximum screen resolution: | 1920 x 1200 @ 60 Hz |

## Physical characteristics

|                               |             |
|-------------------------------|-------------|
| Cable colour:                 | black       |
| Cable diameter:               | 5.5 mm      |
| Cable length incl. connector: | 0.5 m       |
| Connector finishing:          | gold-plated |
| Pin finishing:                | gold-plated |
| Conductor material:           | copper      |
| Conductor gauge:              | 32 AWG      |
| Shielding:                    | triple      |