

Delock Cable USB 2.0 Type-A female > USB 2.0 Type-A female panel-mount 0.25 m

Description

This cable by Delock can be used to extend an USB connection and to connect various devices. The female port can be attached with two screws, e.g. to a slot bracket, a cable duct or an enclosure with the corresponding opening. In this way, it is possible to install a USB connector in an easily accessible position.



0,25 m

Item no. 85105

EAN: 4043619851058

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x USB 2.0 Type-A female >
 - 1 x USB 2.0 Type-A female with nuts for installation
- Screw type: #4-40 UNC
- Mounting hole: ca. 15 x 8 mm, screw hole pitch ca. 30 mm
- Cable gauge:
 - 28 AWG data line
 - 24 AWG power line
- Cable diameter: ca. 4.5 mm
- Gold-plated connectors
- Data transfer rate up to 480 Mb/s
- Colour: black
- Length incl. connectors: ca. 25 cm

System requirements

- A free USB interface

Package content

- USB panel-mount cable
- 2 screws

Images



General

| | |
|----------------|---------|
| Specification: | USB 2.0 |
|----------------|---------|

Interface

| | |
|--------------|---------------------------|
| Connector 1: | 1 x USB 2.0 Type-A female |
| Connector 2: | 1 x USB 2.0 Type-A female |

Technical characteristics

| | |
|---------------------|----------|
| Data transfer rate: | 480 Mbps |
|---------------------|----------|

Physical characteristics

| | |
|------------------|---------------------------------------|
| Pin finishing: | gold-plated |
| Conductor gauge: | 28 AWG data line 24 AWG power line |
| Screw distance: | 30 mm |
| Screw type: | #4-40 UNC |
| Length: | 25 cm |
| Colour: | black |