

Delock Koaksijalni DisplayPort kabel 8K 60 Hz 3 m

Opis

Ovaj koaksijalni DisplayPort kabel tvrtke Delock koristi se za spajanje uređaja s DisplayPort sučeljem, npr. zaslonima, projektorima ili TV-ima na stolno ili prijenosno računalo.

Podržavanjem maksimalne pojasne širine od 32,4 Gbps, sadržaj se može prikazati u 8K Ultra HD (7680 x 4320 na 60 Hz) rezoluciji.

Savršeni zvuk

Visoka kvaliteta, trostruko oklopljeni kabel također značajno poboljšava kvalitetu prijenosa zvuka s brzinom uzorkovanja do 1536 kHz.

Raznovrsno zbog vrlo fleksibilnog materijala kabela

Posebna karakteristika kabela je njegov mali promjer i vrlo fleksibilan materijal kabela, zbog čega se lako ugrađuje.

**3 m**

Tehnički podaci

- Priključak:
 - 1 x DisplayPort muški >
 - 1 x DisplayPort muški
- Podaci za DisplayPort 1.4
- Kompatibilno s DisplayPort 1.3, 1.2 i 1.1
- Kontakt 20 nije spojen
- Tip kabela: koaksijalni
- Promjer kabela: oko 4,8 mm
- Kabel s trostrukim zaštitnim oklopm
- Pozlaćeni kontakti
- Prijenos audio i video signala
- Brzina prijenosa podataka do 32,4 Gbps
- Razlučivost:
 - Zaslon s DSC podrškom:
 - 7680 x 4320 @ 60 Hz
 - 5120 x 2880 @ 120 Hz
 - 3840 x 2160 @ 240 Hz
 - Zaslon bez DSC podrške:
 - 7680 x 4320 @ 30 Hz
 - 5120 x 2880 @ 60 Hz
 - 3840 x 2160 @ 120 Hz
- (ovisno o sustavu i spojenom hardveru)
- Podržava Display Stream Compression 1.2 (DSC)
- Podržava HDR
- Podržava HDCP 1.4 i 2.2
- Podržava HBR3 (8,1 Gbps) brzinu prijenosa podataka
- Do 32 audio kanala za zvučnike
- Brzina uzorkovanja zvuka do 1536 kHz
- Podržava uzorkovanje u boji u formatima 4:4:4, 4:2:2 i 4:2:0
- Boja: crno
- Duljina zajedno s priključkom: oko 3 m

Preduvjeti sustava

- Slobodno DisplayPort sučelje

Sadržaj pakiranja


- DisplayPort kabel

Predmet br. 85302

EAN: 4043619853021

Zemlja podrijetla: China

Pakiranje: Poly bag





Slike



**General**

| | |
|----------------|-----------------|
| Specification: | HDCP 1.4 |
| | HDCP 2.2 |
| | DisplayPort 1.4 |
| | HDR10 |

Interface

| | |
|---------------|----------------------------------|
| Connettore 1: | 1 x DisplayPort a 20 pin maschio |
| Connettore 2: | 1 x DisplayPort a 20 pin maschio |

Technical characteristics

| | |
|----------------------------|---------------------|
| Data transfer rate: | 32,4 Gb/s |
| Maximum screen resolution: | 7680 x 4320 @ 60 Hz |

Physical characteristics

| | |
|-----------------|-------------|
| Cable category: | coaxial |
| Cable diameter: | 4.8 mm |
| Pin finishing: | gold-plated |
| Conductors: | coaxial |
| Shielding: | triple |
| Lunghezza: | 3 m |
| Colour: | nero |