

Delock Active USB 3.1 Gen 1 extension cable USB Type-C™ to USB Type-A 5 m

Description

This active USB cable by Delock can be used to extend a USB connection by 5 m. The cable has an additional DC power socket to which an optional power supply can be connected. This ensures optimum data transmission even when used with powerful devices such as a 2.5" hard drive.



Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
 - 1 x DC jack
- Chipset: Genesys Logic GL3523
- DC jack for optional power supply
- Status LED
- Cable gauge:
 - Data cable 28 AWG data line / 22 AWG power line
 - Power cable 24 AWG
- Host = USB Type-C™; Device = USB Type-A
- Resistor: 5.1 kΩ
- Cable diameter:
 - data cable ca. 4.6 mm
 - power cable ca. 2.8 mm
- Data transfer rate up to SuperSpeed USB 5 Gbps
- Colour: black / grey
- Dimensions of housing (LxWxH): ca. 45.0 x 28.6 x 14.1 mm
- Cable length without connectors: ca. 5 m

Specification of power connector

- Input: 5 V / 2 A
- Ground outside, plus inside
- Dimensions:
 - inside: ø ca. 1.35 mm
 - outside: ø ca. 3.5 mm
 - length: ca. 9.65 mm

System requirements

- Mac OS 10.13.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port

Package content

- USB 3.1 Gen 1 cable

Item no. 85391

EAN: 4043619853915

Country of origin: China

Package: Retail Box



Images



General

Specification:	SuperSpeed USB (USB 3.1 Gen 1)
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Mac OS 10.13.6 or above

Interface

Connector 1:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male
Connector 2:	1 x 5 V DC jack 1 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female

Technical characteristics

Chipset:	Genesys Logic GL3523
Data transfer rate:	5 Gbps
Resistor:	5.1 kΩ

Physical characteristics

Housing material:	metal
Cable diameter:	4.6 mm
Conductor gauge:	28 AWG data line 22 AWG power line
Length:	5 m
Colour:	grey / black