# Delock HDMI to DVI 18+1 cable bidirectional 2 m

## Description

This HDMI to DVI cable by Delock supports the data transfer in both directions. Thus it can be used to connect a DVI monitor or projector to the HDMI interface of a PC or laptop or to connect an HDMI monitor or projector to the DVI interface of a PC or laptop.



2 m

**Item no. 85584**

EAN: 4043619855841

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  1 x HDMI-A male >
  1 x DVI 18+1 male
- DVI-D (Single Link)
- DVI connector with screws
- Cable gauge: 30 AWG
- Cable diameter: ca. 7.3 mm
- Contacts gold-plated
- Cable triple shielded
- Data transfer rate up to 3.96 Gbps
- Resolution up to 1920 x 1200 @ 60 Hz
  (depending on the system and the connected hardware)
- Colour: black
- Length incl. connectors: ca. 2 m

## System requirements

- A free HDMI interface or
- A free DVI interface

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

## Package content

- HDMI to DVI cable

## Images






© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

## Interface

| | |
|---|---|
| Connector 1: | 1 x DVI 18+1 male |
| Connector 2: | 1 x HDMI-A male |

## Technical characteristics

| | |
|---|---|
| Data transfer rate: | 3.96 Gb/s |
| Maximum screen resolution: | 1920 x 1200 @ 60 Hz |

## Physical characteristics

| | |
|---|---|
| Pin finishing: | gold-plated |
| Conductor gauge: | 30 AWG |
| Shielding: | triple |
| Length: | 2 m |
| Colour: | black |

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.