


Delock Optical Fiber Coupler with laser protection flip LC Quad female to LC Quad female Multi-mode aqua

Description

With this LC Quad coupling by Delock, optical fiber male connectors can be easily connected to each other. The coupling enables a direct connection to the optical fiber cable and is suitable for simple mounting in optical fiber connection boxes, cabinets and patch panels.



Protection against laser radiation

The integrated flip ensures protection against laser radiation.

Protection by dust cover

The coupling is equipped with an appropriate cap to protect the sleeve from dust and to keep it clean.

Item no. 86905

EAN: 4043619869053

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x LC Quad female >
 - 1 x LC Quad female
- For multi-mode fiber OM3
- Ceramic sleeve
- With a laser protection flip and a dust protection cap
- Mounting via metal holder or screws
- 2 x mounting holes
- Mounting hole diameter: 2.3 mm
- Pitch of screw hole: ca. 30.7 mm
- Panel cut-out (WxH): ca. 26.6 x 9.5 mm
- Operating temperature: -20 °C ~ 70 °C
- Material: plastic
- Colour: aqua
- Dimensions (LxWxH): ca. 29.2 x 25.6 x 9.3 mm



System requirements

- A free LC Quad plug

Package content

- LC Quad coupler

Images



Interface

Connector 1:	1 x LC Quad female
Connector 2:	1 x LC Quad female

Technical characteristics

Operating temperature:	-20 °C ~ 70 °C
------------------------	----------------

Physical characteristics

Material:	Plastic
Length:	29.2 mm
Width:	25.6 mm
Height:	9.3 mm
Colour:	aqua