



# **Delock Docking Station for MacBook with 5K**

#### Description

This docking station by Delock can be connected to a MacBook with two adjacent **Thunderbolt™ 3** ports, e.g. the MacBook Pro. One monitor can be operated at the HDMI output or Thunderbolt™ 3 port. One built-in **USB Type-C™** port and two USB Type-A ports allows the use of peripherals.

With a USB-C<sup>TM</sup> power supply, laptops such as the MacBook can be charged during operation.

Furthermore there are **two slots for memory cards** which can be used to read and write common memory cards.



The **Thunderbolt™ 3** port can be used to connect e.g. a Thunderbolt™ monitor or further Thunderbolt™ 3 peripherals, which have their own power supply.

USB Power Delivery (USB PD 3.0) support up to 100 watt

The docking station has a **USB Type-C<sup>TM</sup> Power Delivery port** to connect the power supply of the laptop or tablet to charge it. The docking station can also be **used without a power supply**.

#### Small sturdy helper

Due to its **small dimensions** and its **sturdy housing**, this Delock docking station is particularly suitable for travelling. It can simply be packed into the bag together with the laptop and used as needed.

#### Note

Only one additional external monitor can be connected to MacBook devices with M1 chipset.

## **Specification**

- Connectors:
  - 2 x Thunderbolt<sup>TM</sup> 3 USB Type-C<sup>TM</sup> male
  - 1 x HDMI-A female
  - 2 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female



#### Item no. 87740

EAN: 4043619877409 Country of origin: China Package: Retail Box



- 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ female
- 1 x Thunderbolt<sup>TM</sup> 3 female (no power supply for connected Thunderbolt devices)
- 1 x SD slot
- 1 x Micro SD slot
- · Resolution:

Thunderbolt™ 3 up to 5120 x 2880 @ 30 Hz HDMI up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)

- Transmission of audio and video signals
- Only 1 monitor usable with the adapter
- Input power: 1 x USB Type-C<sup>TM</sup> female max. 100 W
- Metal housingColour: grey
- Dimensions (LxWxH): ca. 118.0 x 28.0 x 9.5 mm

### **System requirements**

MacBook Pro with two adjacent Thunderbolt™ 3 ports

#### Package content

- · Docking station
- User manual

### **Images**







## Interface

Connector 1:	2 x Thunderbolt™ 3 USB Type-C™ male
Connector 2:	1 x HDMI-A female
connector 3:	2 x USB 5 Gbps Type-A female
connector 4:	1 x Thunderbolt™ 3 female (no power supply for connected Thunderbolt devices)

## **Technical characteristics**

Maximum screen resolution:	3840 x 2160 @ 30 Hz 5120 x 2880 @ 30 Hz
Voltage:	USB Power Delivery (PD) 2.0

# **Physical characteristics**

Housing material:	metal
Colour:	grey