

Delock Switch VGA 2 port manual bidirectional

Description

This manual bidirectional 2 port VGA switch by Delock can be used to connect devices with VGA ports. The switch provides two different applications.

- 1. Two devices with VGA connection, e.g. monitors or projectors, can be used at a VGA connection of a computer.
- 2. One device with a VGA port, e.g. monitor or projector, can be used at two computers with VGA connection.



Item no. 87758

EAN: 4043619877584 Country of origin: China Package: Retail Box

Specification

- Connectors: 3 x VGA female
- · 2 mechanical buttons
- Resolution up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- · Plastic housing
- · Wallmount option
- · No external power supply needed
- Dimensions (LxWxH): ca. 112 x 71 x 32 mm (without button)
- · Colour: silver / black

System requirements

- PC or laptop with a free VGA port
- VGA connection cables

Package content

Switch



• User manual

Images





General

| Mounting type: | Wall mounting |
|-----------------------------|--|
| Specification: | VGA |
| Supported operating system: | OS independent, no driver installation necessary |
| Style: | Tischgerät |
| Switchover: | 4 x switch button for device 1, 2, 3, 4 |

Interface

connector: 2 x VGA 15 Pin female

Technical characteristics

Maximum screen resolution: 1920 x 1080 @ 60 Hz

Physical characteristics

| Housing material: | Plastic |
|-------------------|----------|
| Length: | 180.5 mm |
| Width: | 89 mm |
| Height: | 50 mm |