

Delock USB Docking Station Dual HDMI Full-HD / USB 3.2 / LAN / Audio

Description

This docking station by Delock can be connected to a computer with a USB-C™ or USB Type-A port and provides a variety of interfaces. Two monitors can be operated simultaneously at the HDMI output ports. Four built-in USB 2.0 ports and two USB 3.2 Gen 1 ports allow the use of peripherals, and connections for microphone and speaker and Gigabit network complete the features.



Full-HD resolution

Full-HD (1080p) resolution is possible when using only one monitor and also when using both HDMI outputs at the same time.

Item no. 87771

EAN: 4043619877713

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - front side:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female - Battery Charging specification BC1.2
 - 1 x microphone 3.5 mm stereo jack
 - 1 x speaker 3.5 mm stereo jack
 - back side:
 - 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-B female
 - 1 x DC 5 V power connector
 - 2 x HDMI-A female
 - 1 x Gigabit LAN 10/100/1000 Mbps RJ45 jack
 - 4 x USB 2.0 Type-A female
- Maximum resolution (depending on the system and the connected hardware):
 - Single display: up to 2560 x 1440 @ 50 Hz
 - Dual display: up to 2048 x 1152 @ 60 Hz
- Transmission of audio and video signals
- Functions: Mirrored or Extended (under Windows only one display can be mirrored, the second one is extended)

- Colour: black / white
 - Dimensions without stand (LxWxH): ca. 190 x 78 x 38 mm
-

Power supply specification

- Wall power supply
 - Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.8 A
 - Output: 5 V / 4 A
 - Ground outside, plus inside
 - Dimensions:
 - inside: \varnothing ca. 1.7 mm
 - outside: \varnothing ca. 4.75 mm
 - length: ca. 9.5 mm
-


System requirements

- Mac OS 10.15.5 or above
 - Windows 8.1/8.1-64/10/10-64/11
 - PC or laptop with a free USB Type-A port or
 - PC or laptop with a free USB Type-C™ port
-

Package content

- USB docking station
- Cable USB Type-B male to USB Type-A male (with adapter to USB Type-C™ male),
length ca. 1 m
- Power supply
- User manual

Images



General

Function:	mirror and extend
Supported operating system:	Mac OS 10.15.5 or above Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit

Technical characteristics

Maximum screen resolution:	2048 x 1152 @ 60 Hz 2560 x 1440 @ 50 Hz
----------------------------	--