

# Delock USB Type-C™ Splitter (DP Alt Mode) > 1 x HDMI + 1 x VGA out

## Description

This splitter by Delock is suitable for the connection of a VGA monitor and an HDMI monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Two monitors can be operated simultaneously at the outputs, the same image is displayed on all ports.



**Item no. 87776**

EAN: 4043619877768

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - Input:
    - 1 x USB Type-C™ male
  - Output:
    - 1 x HDMI-A 19 pin female
    - 1 x VGA 15 pin female
- VGA port with nuts
- DisplayPort 1.2 specification
- Resolution:
  - HDMI up to 3840 x 2160 @ 60 Hz
  - VGA up to 1920 x 1080 @ 60 Hz
  - (depending on the system and the connected hardware)
- Supports HDR
- Supports HDCP 1.4 and 2.2
- Function: Mirrored
- USB bus powered
- Cable length incl. connectors: ca. 20 cm
- Dimensions (LxWxH): ca. 65 x 46 x 14 mm

---

## System requirements

- Windows 8.1/8.1-64/10/10-64
- Linux Kernel 5.4 or above
- Mac OS 10.15.6 or above
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode  
or
- PC or laptop with a free Thunderbolt™ 3 port


---

## Package content

- USB-C™ Splitter (DP Alt Mode)
- User manual

---

## Images



## General

Specification:	DisplayPort 1.2 USB Type-C™
Supported operating system:	Mac OS 10.15.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Output:	1 x HDMI-A female 1 x VGA 15 pin female
Input:	1 x USB Type-C™ male

## Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz 1920 x 1080 @ 60 Hz
----------------------------	--

## Physical characteristics

Housing colour:	silver
Housing material:	metal
Cable length incl. connector:	20 cm
Length:	65 mm
Width:	46 mm
Height:	14 mm