


Delock 6 ulaza SATA PCI Express x4 Kartice - niskoprofilni faktor oblika

Opis

Delock PCI Express kartica proširuje računalo za šest unutarnjih SATA priključaka. Na karticu se mogu spojiti različiti uređaji, kao što su SSD pogoni, tvrdi diskovi, DVD pogoni, itd.



Predmet br. 89042

EAN: 4043619890422

Zemlja podrijetla: Taiwan,
Republic of China

Pakiranje: Retail Box

Tehnički podaci

- Priključak:
unutarnji:
6 x 7-pinski SATA 6 Gb/s, muški
1 x PCI Express x4 (2 trake), V3.0
6 x 2-polna priključnica za LED
- Skup čipova: Asmedia ASM1166
- Podrška Native Command Queuing (NCQ)
- Podrška S.M.A.R.T.
- Podrška TRIM
- Podrška DevSleep
- Podrška SATA Port Multiplier
- Utikač pod naponom
- Može se pokrenuti

Preduvjeti sustava



- Linux Kernel 4.6.4 ili noviji

- Računalo s jednim slobodnim PCI Express x4 / x8 / x16 / x32 utorom

Sadržaj pakiranja

- PCI Express kartica
- Nosač niskog profila
- Korisnički priručnik

Slike



General

Supported operating system:	Linux Kernel 4.6.4 ili noviji Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indikator:	6 x

Interface

Unutarnji:	1 x PCI Express x4 (2-Lane), V3.0 6 x SATA 6 Gb/s 7 pin plug 6 x 2 pin pin header for LED
------------	---

Technical characteristics

Skup čipova:	Asmedia ASM1166
Brzina prijenosa podataka:	6 Gb/s

Physical characteristics

Slot bracket:	niskoprofilni standard
---------------	---------------------------