


Delock PCI Express x4 Card > 2 x internal M.2 Key B + 1 x internal NVMe M.2 Key M - Low Profile Form Factor

Description

This PCI Express card by Delock expands the PC by three M.2 slots. On the card can be connected up to two M.2 SATA modules in format 22110, 2280, 2260, 2242, 2230 and one M.2 PCIe module in format 22110, 2280, 2260, 2242, 2230. The SATA modules will be connected via SATA cables to the motherboard.



Item no. 89394

EAN: 4043619893942

Country of origin: Taiwan,
Republic of China

Package: Box

Specification

- Connectors:
internal:
2 x 67 pin M.2 key B slot
1 x 67 pin M.2 key M slot
1 x PCI Express x4, V3.0
2 x SATA 6 Gb/s 7 pin receptacle
1 x SATA 15 pin power plug
- Interface: SATA + PCIe
- Supports two M.2 modules in format 22110, 2280, 2260, 2242 and 2230 with key B or key B+M based on SATA and one M.2 module in format 22110, 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Data transfer rate up to 6 Gb/s
- Power supply via PCI Express interface or via SATA 15 pin power connector
- Supports Native Command Queuing (NCQ)
- Supports NVM Express (NVMe)

System requirements

- Windows Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64, Linux Kernel 3.2.0
- PC with one free PCI Express x4 / x8 / x16 / x32 slot
- One free SATA 7 pin interface for each connected M.2 module based on SATA

Package content

- PCI Express card
- Low profile bracket
- 3 x fixing screw

Images

