

Delock LTE UMTS GSM Antenna SMA plug 3 dBi omnidirectional fixed with connection cable RG-58, 3 m wall mounting outdoor black

Description

This antenna by Delock allows the usage of different LTE, GSM and UMTS bands indoors and outdoors. It is completely compatible to Bluetooth, WLAN 2.4 GHz, ZigBee, DECT, Z-Wave and LoRa 868 MHz / 915 MHz.



Item no. 89529

EAN: 4043619895298 Country of origin: Taiwan, Republic of China

Package: Box

Specification

- Connector: 1 x SMA plug
- Frequency range:
 690 960 MHz
 1710 2170 MHz
 2400 2700 MHz
- ZigBee, DECT, Z-Wave, LoRa 868 MHz / 915 MHz
- Antenna gain: 3 dBi
- Impedance: 50 Ohm
- VSWR: 2.0
- Polarisation: vertical
- Transmission power: max. 10 W
- Antenna type: rod antenna
- Wall mounting brackets
- Operating temperature: -30 °C ~ 70 °C
- Housing material: plastic
- Base: metal

DATASHEET



- Colour: black
- Cable: coaxial
- Cable type: RG-58
- Cable colour: black
- Cable diameter: ca. 5 mm
- Cable attenuation: 0.57 dB @ 1 GHz per meter
- Cable length: ca. 3 m
- Dimensions (LxD): ca. 26.9 x 1.6 cm

System requirements

• Device with a free SMA jack


Package content

- Antenna
- Mounting brackets and screws

DATASHEET




Images



 $\hfill \ensuremath{\mathbb{S}}$ 2024 by Delock. All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted.

DATASHEET







General

Protection category:	IP65	
Interface		
connector:	1 x SMA plug	

Technical characteristics

Frequency range:	2400 MHz - 2700 MHz 690 - 960 MHz 1710 MHz - 2170 MHz
Gain:	3 dBi
Impedance:	50 Ω
Operating temperature:	-30 °C ~ 70 °C
Polarisation:	vertical
Power handling:	10 W
VSWR:	2.0

Physical characteristics

Cable category:	coaxial
Cable type:	RG-58
Cable colour:	black
Cable length:	3 m
Length:	26.9 cm
Colour:	black