

Delock Connector DC 5.5 x 2.5 x 9.5 mm female bulkhead soldering version

Description

This DC female bulkhead by Delock can be installed or cabled in a housing or a device in order to supply it with power.



DC 5.5 x 2.5 mm

Item no. 89911

EAN: 4043619899111

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x DC 5.5 x 2.5 x 9.5 mm female >
 - 3 x solder connection
- Operating voltage: 16 V DC
- Current: max. 3 A
- Plastic shell: PBT
- Pin: copper nickel plated
- Thread type: M8*P0.75
- Mounting depth: ca. 15.5 mm
- Visible height when installed: ca. 5.7 mm

Specification of power connector

- Dimensions:
 - inside: \varnothing ca. 2.5 mm
 - outside: \varnothing ca. 5.5 mm
 - depth: ca. 9.5 mm

Package content

- DC female bulkhead

Images



Interface

| | |
|------------|-----------------------------------|
| connector: | 1 x DC 5.5 x 2.5 mm jack bulkhead |
|------------|-----------------------------------|

Physical characteristics

| | |
|----------------|---------------|
| Pin finishing: | nickel-plated |
|----------------|---------------|