

Delock 16 port SATA PCI Express x4 Card

Description

The PCI Express card by Delock expands a PC by **16 internal SATA ports**. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.



Item no. 90073

EAN: 4043619900732 Country of origin: China Package: Retail Box

Specification

- Connectors:
 16 x SATA 6 Gb/s 7 pin plug
 1 x PCI Express x4, V3.0
 16 x 2 pin pin header for LED
 1 x 2 pin pin header for fan (12 V)
- Chipset: Asmedia ASM1064, ASM2806
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Bootable (CN1 CN6)

System requirements

- Linux Kernel 5.8 or above
- Windows 8.1/8.1-64/10/10-64/11
- Windows Server 2019
- PC with one free PCI Express slot

DATASHEET



Package content

- PCI Express card
- User manual

Images





General

Function:	bootable TRIM S.M.A.R.T.
Supported operating system:	Linux Kernel 5.8.0 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2019 Windows 11

Interface

Connector 1:	16 x SATA 6 Gb/s 7 pin plug
Connector 2:	1 x PCI Express x4, V3.0
connector 3:	16 x 2 pin pin header for LED
connector 4:	1 x 2 pin pin header for fan (12 V)

Technical characteristics

Chipset:	Asmedia ASM1064
	Asmedia ASM2806