


# Delock Placă PCI Express x4 la 2 x slot SFP Gigabit LAN

## Descriere scurta

Această placă de rețea PCI Express de la Delock oferă o conexiune pentru două module SFP cu o rată de transfer de 1 Gbps. Sloturile SFP acceptă opțional module DP Gigabit de la Delock pentru a conecta un computer printr-un cablu de fibră optică la rețea.

**Nr. 90480**

EAN: 4043619904808

Țara de origine: China

Pachet: White Box

## Specification

- Conectori:  
extern: 2 x fantă SFP pentru modul SFP la 1 Gbps  
intern: 1 x PCI Express x4, V2.1
- Chipset: Intel 82576
- Rată transfer date:  
Gigabit Ethernet până la 1 Gbps  
PCI Express x4, până la 16 Gbps
- Acceptă cadre Jumbo 9k
- Acceptă PXE

## Cerinte de sistem

- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC cu slot PCI Express liber
- Modulul SFP

## Pachetul contine

- Placă PCI Express
- Consolă minimalistă
- CD cu drivere
- Manual de utilizare

## Imagini



## General

|                             |                                                                                                                                          |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Supported operating system: | Windows 10 32-bit<br>Windows 10 64-bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------|

## Interface

|           |                            |
|-----------|----------------------------|
| External: | 2 x 1 Gigabit LAN SFP Slot |
| Internal: | 1 x PCI Express x4, V2.1   |

## Technical characteristics

|                     |                               |
|---------------------|-------------------------------|
| Chipset:            | Intel® 82576                  |
| Data transfer rate: | Gigabit Ethernet up to 1 Gbps |

## Physical characteristics

|               |                          |
|---------------|--------------------------|
| Slot bracket: | profil redus<br>standard |
|---------------|--------------------------|