


# Delock PCI Express x4 Card to 1 x internal SFF-8654 4i NVMe - Low Profile Form Factor

## Description

This PCI Express card by Delock expands the PC by one SFF-8654 interface. It can be connected to e.g. one SSD with U.2 interface by using an optional cable. The card transmits PCI Express signals using the **NVMe protocol**.



**Item no. 90483**

EAN: 4043619904839

Country of origin: China

Package: Box

## Specification

- Connectors:
  - 1 x 38 pin SFF-8654 4i female
  - 1 x PCI Express x4, V4.0
- Data transfer rate up to 64 Gbps
- 1 x LED for attendance
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe) 1.2


## System requirements

- Linux Kernel 3.12 or above
- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

## Package content

- PCI Express card
- Low profile bracket
- User manual

## Images



## General

|                             |  |
|-----------------------------|--|
| Function:                   | NVM Express (NVMe)   |
| Supported operating system: | Linux Kernel 3.12 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit |

## Interface

|              |                               |
|--------------|-------------------------------|
| Connector 1: | 1 x 38 pin SFF-8654 4i female |
| Connector 2: | 1 x PCI Express x4, V3.0      |

## Technical characteristics

|                     |               |
|---------------------|---------------|
| Data transfer rate: | up to 64 Gbps |
|---------------------|---------------|