

Delock Mini PCIe Card > 4 x Serial RS-232

Description

This Mini PCIe adapter by Delock expands your system by four additional serial ports, which you can lead out through the slot bracket. You can connect different serial devices like printer, scanner, modem etc. to this adapter.



Specification

- Connectors:
 - on the module:
 - 2 x 20 pin pin header male
 - on the slot bracket: (2 slot brackets)
 - 2 x serial RS-232 DB9 male with nuts
- Chipset: Moschip MCS9904
- Form factor: Mini PCIe full size
- Interface: PCI Express revision 1.1
- Data transfer rate up to 230.4 Kbps
- Compatible with 16C450 / 16C550 UART
- Cable length incl. connectors: ca. 30 cm

System requirements

- Linux Kernel 3.7 or above
- Windows Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64
- Motherboard with a free Mini PCIe slot with a PCIe interface

Package content

- Mini PCIe module
- 2 x serial connection cable
- 2 x slot bracket with 2 DB9 ports
- Driver CD
- User manual

Item no. 95243

EAN: 4043619952434

Country of origin: China

Package: Retail Box

Images



General	
Form factor:	Mini PCIe full size
Supported operating system:	Linux Kernel 3.7 or above Windows 10 32-bit Windows 10 64-bit Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit
Interface	
Connector 1:	1 x Mini PCI Express, Rev. 1.1
Connector 2:	2 x 20 Pin RS-232 pin header
Technical characteristics	
Chipset:	Moschip MCS9904
Data transfer rate:	4 x up to 230,4 Kbps
FIFO:	2 x 256 Byte
Interface output:	RS-232
Data transmission:	asynchronous full duplex
UART:	16C450 / 16C550
Data bits:	5, 6, 7, 8
Stop bits:	1, 2
Physical characteristics	
Cable length incl. connector:	30 cm