


# Delock Module MiniPCle I/O PCIe full size 2 x Serial RS-232 + 1 x Parallel

## Description

This MiniPCle adapter by Delock expands your system by two additional serial and one parallel port, which you can lead out through the slot bracket. You can connect different serial and parallel devices like printer, scanner, modem etc. to this adapter.



**Item no. 95246**

EAN: 4043619952465

Country of origin: Taiwan,  
Republic of China

Package: Box

## Specification

- Connector:
  - on the module:
    - 2 x 10 pin pin header male (serial)
    - 1 x 18 pin pin header male (parallel)
  - on the slot bracket (standard) 2 x:
    - 2 x serial RS-232 DB9 male with screw nuts
    - 1 x parallel male with screw nuts
  - or on the slot bracket (low profile) 3 x:
    - 1 x serial RS-232 DB9 male with screw nuts
    - 1 x parallel male with screw nuts
- Chipset: Systembase SB16C1053
- Form factor: MiniPCle full size
- Interface: PCI Express revision 2.0
- Data transfer rate up to 921.6 Kb/s
- Compatible with 16C550 UART
- Cable length: ca. 30 cm (incl. connector)

---

## System requirements

- Windows Vista/Vista-64/7/7-64/8/8-64/8.1/8.1-64/10/10-64, Linux Kernel 2.6
- Mainboard with a free MiniPCIe slot with a PCIe interface

---

## Package content

- MiniPCIe module
- 2 x serial connection cable (pin header > DB9)
- 1 x parallel connection cable (pin header > DB25)
- Power cable
- 2 x standard slot bracket
- 3 x low profile slot bracket
- Driver CD
- User manual

---

## Images

