


# Delock Mini PCIe I/O PCIe polovični 1 x gigabitni LAN niskoprofilni

## Opis

Ovaj Mini PCIe modul tvrtke Delock nadograđuje sustav jednim gigabitnim LAN sučeljem, koji može imati izlaz preko nosača utora.



## Tehnički podaci

- Priključak:
  - 1 x Mini PCIe, muški >
  - 1 x Gigabit LAN RJ45 ženski
- Skup čipova: Realtek RTL8111H
- Čimbenik oblika: Mini PCIe u polovični veličini
- Sučelje: PCI Express verzija 1.1
- Brzina prijenosa podataka:
  - Ethernet do 10 Mbps
  - Fast Ethernet do 100 Mbps
  - Gigabit Ethernet do 1000 Mbps
  - PCI Express x1 do 2,5 Gbps
- Kompatibilno s IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
- Podržava kontrolu protoka IEEE 802.3x puni duplex
- Podržava prioritet kodiranja IEEE 802.1P 2. sloja
- Podržava IEEE 802.1Q virtualni LAN (VLAN)
- Duljina kabela s konektorima: otpr. 30 cm

## Preduvjeti sustava

- Linux Kernel 3.2 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Matična ploča sa slobodnim Mini PCIe utorom i PCIe sučeljem
- PC sa jednim stražnjim utorom

## Sadržaj pakiranja


- Modul Mini PCIe
- Dva kabela za povezivanje
- Bracket
- Nosač niskog profila
- CD s upravljačkim programom
- Korisnički priručnik

## Predmet br. 95265

EAN: 4043619952656

Zemlja podrijetla: China

Pakiranje: Retail Box





Slike



**General**

Fattore di forma:	Mini PCIe a dimensioni ridotte
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 3.2 o superiore

**Interface**

connector:	1 x RJ45 femmina
------------	------------------

**Technical characteristics**

Chipset:	Realtek RTL8111H
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps

**Physical characteristics**

Slot bracket:	low profile standard
---------------	-------------------------