

# Delock Adapter USB Type-C™ male > VGA female (DP Alt Mode) with PD function

## Description

This Delock adapter is suitable for the connection of a VGA monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like Macbook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface. The adapter has a USB Type-C™ Power Delivery port. This allows the laptop to be charged while the adapter is in use.

[Delock Monitor Adapter \(Video\)](#)



**Item no. 62989**

EAN: 4043619629893

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - Input:
    - 1 x USB Type-C™ male
    - 1 x USB Type-C™ Power Delivery female (optional for power supply)
  - Output:
    - 1 x VGA 15 pin female
- Chipset: VIA VL100 + ITE IT6516
- VGA port with nuts
- Resolution up to WUXGA 1920 x 1200 @ 60 Hz (depending on the system and the connected hardware)
- Transfer of analogue video signals
- Charging power: max. 60 W, 20 V @ 3 A
- USB bus powered
- Plug & Play
- Housing material: aluminium
- 1 x ferrite core
- Cable length without connectors: ca. 20 cm
- Colour: dark grey

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, iPad Pro (2018), Linux ex Kernel 4.3, Mac ex OS 10.12
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

## Package content

- USB-C™ to VGA adapter

## Images



## General

Function:	Plug & Play
Supported operating system:	Linux Kernel 4.3 or above Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018)

## Interface

Output:	1 x VGA 15 pin female
Input:	1 x USB Type-C™ female (power supply) 1 x USB Type-C™ male

## Technical characteristics

Chipset:	VIA VL100 ITE IT6516
Maximum screen resolution:	1920 x 1200 @ 60 Hz
Signal transmission:	video

## Physical characteristics

Ferrite core:	1 x
Housing material:	Aluminium
Cable length:	20 cm
Connector finishing:	nickel-plated
Colour:	dark grey