


Delock Terminal block with push button for PCB 6 pin 5.08 mm pitch horizontal 4 pieces

Description

This terminal block by Delock is suitable for the solder mounting on a PCB. Furthermore, data or power cables can be connected via the terminal block.



4 x

Item no. 66276

EAN: 4043619662760

Country of origin: China

Package: Zip poly bag


Specification

- Connectors:
 - 1 x 6 pin terminal block with push button
 - 2 x 6 soldering pin
- Pitch: 5.08 mm
- Environmental temperature: -40 °C ~ 105 °C
- Useable for a cable gauge from 22 to 16 AWG
- Withstanding voltage: AC 1600 V / 1 minute
- Rated voltage according to: UL: 300 V, IEC: 250 V
- Rated current according to: UL: 10 A, IEC: 15 A
- Material: plastic
- Colour: green / orange
- Dimensions (LxWxH): ca. 33.0 x 14.0 x 10.2 mm

Package content

- 4 x Terminal block

Images



General

Suitable for conductor gauge:	22 - 16 AWG
-------------------------------	-------------

Interface

Connector 1:	1 x 6 pin terminal block with push button
Connector 2:	2 x 6 soldering pin

Technical characteristics

Storage temperature:	-40 °C ~ 105 °C
----------------------	-----------------

Physical characteristics

Pitch distance:	5.08 mm
Housing material:	Plastic
Length:	33.0 mm
Width:	14.0 mm
Height:	10.2 mm
Colour:	green / orange