


Delock Terminal block with push button for PCB 6 pin 2.54 mm pitch horizontal 4 pieces

Description

This terminal block by Delock is suitable for the solder mounting on a PCB. Furthermore, data or power cables can be connected via the terminal block.



4 x

Item no. 66340

EAN: 4043619663408

Country of origin: China

Package: Zip poly bag


Specification

- Connectors:
 - 1 x 6 pin terminal block with push button
 - 2 x 6 soldering pin
- Pitch: 2.54 mm
- Environmental temperature: -40 °C ~ 105 °C
- Useable for a cable gauge from 24 to 20 AWG
- Withstanding voltage: AC 1250 V / 1 minute
- Rated voltage according to: UL: 150 V, IEC: 130 V
- Rated current according to: UL: 2 A, IEC: 6 A
- Material: plastic
- Colour: green / orange
- Dimensions (LxWxH): ca. 17.8 x 13.8 x 12.9 mm

Package content

- 4 x Terminal block

Images



General

| | |
|-------------------------------|-------------|
| Suitable for conductor gauge: | 24 - 20 AWG |
|-------------------------------|-------------|

Interface

| | |
|--------------|---|
| Connector 1: | 1 x 6 pin terminal block with push button |
| Connector 2: | 2 x 6 soldering pin |

Technical characteristics

| | |
|----------------------|-----------------|
| Storage temperature: | -40 °C ~ 105 °C |
|----------------------|-----------------|

Physical characteristics

| | |
|-------------------|----------------|
| Pitch distance: | 2.54 mm |
| Housing material: | Plastic |
| Length: | 17.8 mm |
| Width: | 13.8 mm |
| Height: | 12.9 mm |
| Colour: | green / orange |