



Delock Cable USB Type-C™ male > DisplayPort male (DP Alt Mode) 4K 60 Hz 2 m black

Description

This cable by Delock enables the connection of a DisplayPort monitor to a PC or laptop with USB-CTM or ThunderboltTM 3 port, such as a MacBook or a Chromebook. The interface has to support the DisplayPort Alternate Mode.



Item no. 85256

EAN: 4043619852567 Country of origin: China Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ male >
 - 1 x DisplayPort 20 pin male
- · Chipset: Cypress
- DisplayPort 1.2 specification
- Signal direction: USB Type-CTM input > DisplayPort output
- Resolution up to 3840 x 2160 @ 60 Hz
 (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDCP 1.4
- USB bus powered
- Plug & Play
- Connectors: gold-plated
- · Colour: black
- Length without connectors: ca. 2 m





System requirements

- Linux Kernel 4.x or above
- Mac OS 10.12 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

• USB-CTM to DisplayPort cable

Images









General

Function:	Plug & Play
Specification:	DisplayPort 1.2 HDCP 1.4
Supported operating system:	Linux Kernel 4.x or above Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

Output:	1 x DisplayPort male
Input:	1 x USB Type-C™ male

Technical characteristics

Chipset:	Cypress
Maximum screen resolution:	3840 x 2160 @ 60 Hz
Signal transmission:	video audio

Physical characteristics

Cable length:	2 m
Pin finishing:	gold-plated
Colour:	black