

# Delock DisplayPort 1.2 Splitter 1 x mini DisplayPort in > 4 x DisplayPort out 4K

## Description

This splitter by Delock receives a DisplayPort signal from a PC or laptop and splits it to four connected displays. Thereby one DisplayPort connection can be used to operate four DisplayPort monitors. The outputs are dual-mode capable (DP++), so that HDMI or DVI monitors can be connected with suitable adapters.



30 cm

**Item no. 87693**

EAN: 4043619876938

Country of origin: Taiwan,  
Republic of China

Package: Retail Box

## Specification

- Connectors:  
Input:  
1 x mini DisplayPort 20 pin male  
1 x 5 V DC jack  
Output:  
4 x DisplayPort 20 pin female
- Chipset: STDP4320
- DisplayPort 1.2a specification
- Active converter, Single / Multi Stream Transport Hub (SST / MST)
- Maximum resolution (depending on the system and the connected hardware):  
DisplayPort 1.1 or 1.2 Single Stream Transport (SST):  
up to 1920 x 1080 @ 60 Hz (mirrored)  
DisplayPort 1.2 Multi Stream Transport (MST):  
up to 2560 x 1440 @ 60 Hz or 3840 x 2160 @ 30 Hz (mirrored or extended)  
max. 4x 1920 x 1080 @ 60 Hz
- DisplayPort output supports Dual Mode DP++
- Supports audio and video signals
- Supports Eyefinity / Single Large Surface (SLS)

- Audio input formats: 7.1 channel up to 192 kHz sample rate
- Metal housing
- Cable length without connectors: ca. 30 cm
- Colour: black
- Dimensions (LxWxH): ca. 143 x 67 x 23 mm
- OS independent, no driver installation necessary

---

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.4 A
- Output: 5 V / 2 A
- Ground outside, plus inside
- Dimensions:
  - inside:  $\varnothing$  ca. 2.1 mm
  - outside:  $\varnothing$  ca. 5.5 mm
  - length: ca. 9 mm

---

## System requirements

- One free mini DisplayPort female


---

## Package content

- DisplayPort Splitter
- External power supply
- User manual

---

## Images



## General

Specification:	DisplayPort 1.2a
----------------	------------------

## Interface

Output:	4 x DisplayPort female
Input:	1 x mini DisplayPort 20 pin male 1 x 5 V DC female 5,5 mm x 2,1 mm

## Technical characteristics

Chipset:	STDP4320
Maximum screen resolution:	3840 x 2160 @ 30 Hz

## Physical characteristics

Housing material:	metal
Cable length incl. connector:	30 cm
Length:	143 mm
Width:	67 mm
Height:	23 mm
Colour:	black

## Power supply

Type:	Euro wall power supply
Connector:	DC male 5.5 mm x 2.1 mm