

# Delock USB Type-C™ Card Reader in aluminium enclosure for CFexpress or XQD memory cards

#### **Description**

The card reader by Delock can be used for **reading and writing XQD or CFexpress memory cards**. The card reader can be connected to a PC or laptop via the **USB Type-C<sup>™</sup> or Type-A** interface.

#### **Supports USB 10 Gbps**

A maximum data transfer rate of up to 10 Gbps can be reached.

#### **Extensive connectivity**

Due to the **specially designed adapter**, the Delock hub can be quickly and easily connected to the USB Type-A socket. Thus, it can be easily connected to new devices with USB Type-C<sup>TM</sup> female and older devices that only have a USB Type-A connector. The **adapter** is located directly on the cable and therefore it cannot be lost.



#### Item no. 91008

EAN: 4043619910083 Country of origin: China Package: Retail Box

#### **Specification**

- Connectors:
  - 1 x USB 10 Gbps USB Type-C™ female
  - 1 x CFexpress 2.0 type B / XQD 2.0 slot

#### Adapter:

- 1 x USB 10 Gbps USB Type-C™ female
- 1 x USB 10 Gbps Type-A male
- Push to push CFexpress socket
- Data transfer rate up to 10 Gbps
- Supports NVM Express (NVMe)
- Bootable
- 1 x LED indicator
- Colour: grey
- Plug & Play
- Dimensions (LxWxH): ca. 71 x 49 x 11 mm





#### **System requirements**

- Android 11.0 or above
- Chrome OS
- Linux Kernel 5.15 or above
- Mac OS 12.4 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- Device with a free USB Type-C<sup>™</sup> port or with a free Thunderbolt<sup>™</sup> 3 port or
- Device with a free USB4™ port or with a free Thunderbolt™ 4 port or
- A free USB Type-A port

### Package content

- · Card reader
- Cable USB-CTM male to USB-CTM male (with adapter to USB Type-A male), length ca. 15 cm
- User manual

#### **Images**













#### General

Function:	NVM Express (NVMe) Plug & Play bootable
Supported operating system:	Chrome OS Surface Pro 7 Windows 10 32-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Mac OS 12.4 oder höher Android 11.0 or above Linux Kernel 5.15 or above
LED indicator:	1 x
Supported memory card:	CFexpress XQD XQD 2.0

#### Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ female
Connector 2:	1 x CFexpress 2.0 type B / XQD 2.0 slot

#### **Technical characteristics**

Data transfer rate:	10 Gbps		
---------------------	---------	--	--

## **Physical characteristics**

Housing colour:	grey
Housing material:	Aluminium
Length:	71 mm
Width:	49 mm





Height: 11 m